



Kanyon Poly **Owners Guide**

www.kanyonpoly.com



CARE & CLEANING INSTRUCTIONS

This is your go-to for assembling, owning and maintaining your new furniture.



GENERAL CLEANING

1. Scrub boards with soap and water solution using a soft sponge or plastic-bristled brush.
2. You can use a soft-bristled toothbrush to clean spaces that are hard to reach.
3. To remove surface dust, just wash furniture with cold, clear water.

DEEP CLEANING

1. A pressure washer can be used on the lightest setting to deep clean your furniture.
2. It is not recommended to use more than 1,500psi.
3. Keep the tip of the pressure washer at least 10-12 inches away from the furniture so it does not damage the lumber.

STAIN CHART

Pencil Marks	Use a mild dish detergent and water to saturate the stain. Rinse clean with water.
Ink/Marker	Use a mild dish detergent and water to saturate the stain. Rinse clean with water. For tougher stains, treat area with a penetrating oil. Wipe off and wash clean with water and a mild dish detergent.
Grease or Oil Stain	Use a mild dish detergent and water to saturate the stain. Rinse clean with water.
Embedded Dirt	Use a mild dish detergent to saturate the area. Scrub with a soft-bristled brush. Rinse clean with water.
Wine	Use a mild dish detergent to saturate the area. Scrub with a soft-bristled brush and rinse clean with water.
Chewing Gum	Coat penetrating oil over the area. Gently pry up on any hard pieces with a plastic putty knife. Utilize a soft brush and acetone solvent to remove any fine debris and clean out any crevasses. Rinse area clean with water.
Bird Droppings	Use a mild dish detergent to saturate the area. Scrub with a soft-bristled brush and rinse clean with water.
Stains and Scuffs	A foam eraser sponge may be used for stubborn marks.
Iron and Rust	For tough iron and rust stains, saturate with a heavy-duty rust remover and scrub with a soft-bristled brush.

Limited Warranty

Kanyon Poly warrants Kanyon Poly–manufactured furniture and included components, subject to the terms and exclusions on this page.

For customers & dealers (Save as PDF in your print dialog)

Coverage

Coverage



Residential

Commercial

Structural / Material Defects

Covers substantial defects in Kanyon Poly-built products under normal use. Labor not included.

Limited Lifetime

10 years

Termite & Fungal Decay

Covered components will not rot, splinter, decay, or suffer structural damage from termites or fungal decay under normal use.

Limited Lifetime

10 years

Stainless-Steel Components

Covers manufacturing defects that cause failure in normal use. Cosmetic changes and chemical/salt damage are not covered.

20 years

10 years

Color / Fade (UV)

Color change will remain within 5ΔE of the original manufactured color for 5 years.

5 years

5 years

Original owner only. This Limited Warranty applies only to the original retail purchaser and is not transferable.

Residential = personal/non-commercial use. Commercial includes hospitality, rentals, multi-user environments, and public spaces.

UV stability & color

Our recycled-plastic lumber includes UV stabilizers to help protect color and material integrity over time. Like most outdoor materials, long-term sun and heat cycles can cause gradual surface and color change.

Fade coverage: products will remain within **5ΔE** of the original manufactured color for **5 years**.

5ΔE visual reference

Slide to compare the original image (left) vs. a 5ΔE reference image (right).

This is a visual aid only. Actual perception varies by lighting, texture, and environment.

What we do

If a covered component is confirmed defective, Kanyon Poly will repair, replace, or refund the purchase price of the defective component(s) only. Labor and related costs are not included.

What's not covered

- Labor, removal, re-installation, freight/shipping, inspection, and contractor/engineer expenses.
- Normal wear (scratches, scuffs, surface marks).
- Cosmetic changes from outdoor exposure outside the fade terms.
- Damage from storms, fire, flooding, impacts, or ground/structure movement.
- Expansion/contraction and static electricity (inherent to polymer-based materials).
- Stainless-steel cosmetic conditions or damage from harsh cleaners, salt/chlorine, de-icers, or industrial fallout.
- Non-Kanyon Poly components, accessories, or unauthorized modifications.

When coverage is void

- Abuse, misuse, negligence, vandalism, overloading, or failure to reasonably maintain/clean.
- Improper installation, handling, storage, fabrication, or service not performed properly or not in accordance with Kanyon Poly guidance.
- Material alteration or modification without prior written approval from Kanyon Poly.
- Chemical exposure beyond normal use (harsh cleaners, solvents, corrosives, de-icers, pollutants) that damages materials/finishes.
- The invoice containing the warranted product has not been paid in full.

How to file a claim

1. Submit within 30 days of discovering the issue. Do not repair before filing.
2. Include proof of purchase, clear photos, and a short written description (installer info if available).
3. Provide reasonable access for inspection and keep the product/component available for evaluation.

Email: contact@kanyonpoly.com

Phone: (785) 625-6611

Mail:

Kanyon Poly — Warranty Claims
1023 Old Hwy 40 Bypass
Hays, KS 67601

Legal

This Limited Warranty is the exclusive warranty provided by Canyon Poly to the extent permitted by law. Some states do not allow certain limitations, so portions of these terms may not apply to you.

Liability is limited to the purchase price paid for the defective component(s), to the extent permitted by law. Canyon Poly is not liable for special, incidental, consequential, punitive, or economic damages to the extent permitted by law.

This Limited Warranty is extended solely to the original retail purchaser of the product and does not transfer to subsequent owners.

Suitability & code compliance: You (and your contractor/installer, if applicable) are responsible for determining product suitability for your specific application and verifying compliance with all applicable codes and safety requirements. Canyon Poly does not provide design/engineering review for your project.



TETE-A-TETE

This portion of the owners guide is dedicated to K510 products.



ASSEMBLY INSTRUCTIONS

Please take a moment to review the packaging for the following components and hardware.




Step 1 (Attach arms and legs to base)



Align the right legs to the right side of the base and insert a short bolt through the washer, leg, and base for the front and back. Slide on another washer and tighten a nut onto the bolt. (Repeat process for left side)

Step 2 (Attach seat)



Align the holes on the front of the seat to the holes just under the armrests. Insert a short bolt through the washer, arm, and seat. Slide on another washer and tighten a nut onto the bolt. (Repeat process for opposite side)

Step 3 (Attach back)



For right and left sides, insert a medium bolt through the washer and partially through the arms. Align the top holes of the seat back with the holes towards the back of the arms. Push the bolt through the arms and back. Slide on another washer and tighten a nut onto the bolts.

Step 4 (Connect back to seat)



For right and left sides, insert a long bolt through the washer and partially through the legs. Lift the seat up and push the back forward. Align the holes and push the bolts through. Slide on another washer and tighten a nut onto the bolt.

Step 5 (Repeat on 2nd tighten bolts)



Step 6 (Attach table) - Slide the table into the grooves in the chairs to connect them.